



**Kimseed Australia Pty Ltd** ABN 39 600 271 047  
3 / 61 Buckingham Drive, Wangara 6065,  
Western Australia.  
Tel: +61- 8- 9409 2244 Email: [machinery@kimseed.com.au](mailto:machinery@kimseed.com.au)  
<http://www.kimseed.com.au>

## **Kimseed Aquaseeder Hydromulcher**



**Outstanding Self Contained Seeder – Mulcher, using well proven technology  
so that Fast and Efficient Soil Recovery is quickly achieved.**

**Kimseed Aquaseeder HydroMulcher  
Model GX 8000**

 **Kimseed Aquaseeder - Hydromulcher**

**Australian Native  
Seed Specialists**

**Seed & Revegetation  
Equipment**

**Engineering Design  
& Fabrication**

**Forestry  
Management**

**International Environmental  
Consultants**



A proven and outstanding Seeder – Mulcher. It can be described as a mobile mixing tank capable of using and mulching Print Paper or other materials and dispense them, together with seeds, quite a distance away from the machine. Powerful Hydraulic Driven Pumps make this process possible.

They are ideal when Revegetation Projects are undertaken after Mining, Roadwork, or other Soil Recovery need.

### SPECIFICATIONS

<b>Power:</b>	120 hp Diesel Engine	<b>Cooling:</b>	Water-cooled
<b>PTO:</b>	Twin Disc, over centre heavy-duty clutch	<b>Electric's:</b>	Key start panel , all required gauges Oil-Temp-Fuel
<b>Pumps:</b>	Hydraulic Driven Dual Helical Rotor 100mmx100mm and 150mmx100mm		
<b>Agitator:</b>	Twin Mechanical paddles to suit many mulching materials including solid paper, newsprint and pre-hammer milled rice stalks and coconut fibre.		
<b>Discharge:</b>	<b>1 -</b> Monitor-Cannon Distance up to 50metres Choice of Left or Right Top Platform Mount. <b>2 -</b> Hydraulic Drive Hose Reel and Gearbox Guide rollers for diameter 38mm hose Capacity 50 metres of hose Extension of hose by an additional 200 mt is possible Nozzle for hand held hose, fan type		
<b>Hydraulics:</b>	Pump: timing cover-mounted gear driven Motor: Twin variable speed reversible Heat exchanger: Dynacool twin thermo Hoses: coded		
<b>Tank:</b>	Heavy Duty Construction Capacity: 8000 litres Dry weight: approximately 4500 Kg		
<b>Fuel:</b>	Diesel fuel tank built in: Capacity 200 litres		
<b>Finish:</b>	Inside: Sandblast & 2 pack Epoxy protective coating to 125 microns Outside: Sandblast & 2 pack paint (colour green)		
<b>Decals:</b>	Safety stickers, lubrication point stickers		
<b>Pressure Control</b>	Optional return line and valve to tank for pump pressure control for hand held operation		

